

## Antenna cable - RAD-CAB-PFP240-10 - 5606124

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Antenna cable, 10 ft. in length, type N (male) to type N (male), 50  $\Omega$  impedance



### Product Description

Antenna cable, 10 ft. in length, type N (male) to type N (male), 50  $\Omega$  impedance

### Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	226.8 g
Country of origin	China

### Technical data

#### Dimensions

Fixed cable length	3 m
--------------------	-----

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

#### General

Connection 1	Connector connection
Connection method	Type N (male)
Note	Both sides
Cable type	PFP-240
Frequency range	400 MHz ... 5.8 GHz
Impedance	50 $\Omega$

#### Attenuation

868 / 900 MHz	0.96 dB
2.4 GHz	1.48 dB
5 GHz	2.12 dB

## Antenna cable - RAD-CAB-PFP240-10 - 5606124

### Classifications

#### eCl@ss

eCl@ss 4.0	27250313
eCl@ss 4.1	27250313
eCl@ss 5.0	19070102
eCl@ss 5.1	19070102
eCl@ss 6.0	19070102
eCl@ss 7.0	19070102
eCl@ss 8.0	27060310

#### ETIM

ETIM 3.0	EC001698
ETIM 4.0	EC000019
ETIM 5.0	EC001682

#### UNSPSC

UNSPSC 6.01	43171611
UNSPSC 7.0901	43221706
UNSPSC 11	43171611
UNSPSC 12.01	43221706
UNSPSC 13.2	43221706