

## Stripping tool - WIREFOX-D 40 - 1212161

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Stripping tool, for stripping cables of 4.5 mm - 40 mm-Ø, insulation thickness of up to 4.5 mm, pivoting blade for round, lengthwise, and spiral cuts

### Your advantages

- ✓ Large selection of precision stripping tools
- ✓ The right tool for every application

### Key Commercial Data

|                                      |                                                                                                         |
|--------------------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit                         | 1 pc                                                                                                    |
| GTIN                                 | <br>4 046356 454452 |
| GTIN                                 | 4046356454452                                                                                           |
| Weight per Piece (excluding packing) | 240.000 g                                                                                               |
| Custom tariff number                 | 82032000                                                                                                |
| Country of origin                    | Sweden                                                                                                  |

### Technical data

#### Dimensions

|                  |                  |
|------------------|------------------|
| Length (b)       | 167 mm           |
| Width (a)        | 37 mm            |
| Height (c)       | 30.5 mm          |
| Cable diameter   | 4.5 mm ... 40 mm |
| Stripping length | 100 mm           |

#### General

|                    |                     |
|--------------------|---------------------|
| Color              | black               |
| Weight             | 116 g               |
| Min. cross section | 4 mm <sup>2</sup>   |
| Max. cross section | 300 mm <sup>2</sup> |

### Environmental Product Compliance

# Stripping tool - WIREFOX-D 40 - 1212161

## Technical data

### Environmental Product Compliance

|                           |                                                                                                               |
|---------------------------|---------------------------------------------------------------------------------------------------------------|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---------------------------------------------------------------------------------------------------------------|

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 21043706 |
| eCl@ss 4.0    | 21040301 |
| eCl@ss 4.1    | 21040301 |
| eCl@ss 5.0    | 21040301 |
| eCl@ss 5.1    | 21040300 |
| eCl@ss 6.0    | 21043700 |
| eCl@ss 7.0    | 21043706 |
| eCl@ss 8.0    | 21043706 |
| eCl@ss 9.0    | 21043706 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC001186 |
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC000163 |
| ETIM 5.0 | EC000163 |
| ETIM 6.0 | EC002109 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 27111510 |

## Approvals

### Approvals

---

Approvals

EAC

---

## Stripping tool - WIREFOX-D 40 - 1212161

### Approvals

Ex Approvals

---

#### Approval details

EAC



RU x-  
DE.xx08.B.02974

### Accessories

#### Accessories

##### Knife

Spare knife - WIREFOX-D 40/SB - 1212313



Spare knife for WIREFOX-D 40