

## CL3R/CMR Non-shielded 20 AWG & 22 AWG 300V

CL3R/CMR - Nonshielded Conductors  
PVC Insulation & Jacket  
300 Volt - 22 AWG & 20 AWG



\*Product images are for illustrative purposes only and may differ from the actual product.

### Category Conductor Description:

- Stranded bare copper to ASTM B-3, B-8, and B-286

### Category Insulation Description:

- Color coded Polyvinyl Chloride (PVC)

### Category Jacket Description:

- Gray, Polyvinyl Chloride (PVC) Includes ripcord

### Applications:

- Power limited control circuits
- Wiring of the following systems: Intercom, Security, & Audio
- Suggested Voltage Rating: 300 Volts

### Standards:

- NEC Article 725 Type CL3R
- NEC Article 800 Type CMR
- CSA CMG 60C FT-4

Color Code Chart	
# of Conductors	Color
1	Black
2	Red
3	White
4	Green
5	Brown
6	Blue
7	Orange
8	Yellow
9	Purple

10	Gray
11	Pink
12	Tan
13	Red/Black Stripe
14	White/Black Stripe
15	Green/Black Stripe
16	Blue/Black Stripe
17	Orange/Black Stripe
18	Yellow/Black Stripe
19	Purple/Black Stripe
20	Gray/Black Stripe
21	Pink/Black Stripe
22	Tan/Black Stripe
23	Black/White Stripe
24	Red/White Stripe
25	Green/White Stripe
26	Blue/White Stripe
27	Brown/White Stripe
28	Orange/White Stripe
29	Yellow/White Stripe
30	Purple/White Stripe

**Part Number Table**

<b>Part#</b>	<b>Gauge</b>	<b>Conductors</b>	<b>Insulation Thickness</b>	<b>Jacket Thickness</b>	<b>Outside Diameter Inches</b>	<b>Material Weight (Lbs./M')</b>	<b>Material Weight (KG/KM)</b>
DS92202	22	2	0.008	0.015	0.122	8.6	12
DS92203	22	3	0.008	0.015	0.129	11	16
DS92204	22	4	0.008	0.015	0.156	15.1	22
DS92206	22	6	0.008	0.015	0.164	20	29
DS92208	22	8	0.008	0.015	0.18	26.2	38
DS92210	22	10	0.008	0.015	0.212	36	53
DS92212	22	12	0.008	0.015	0.219	42	62
DS92002	20	2	0.008	0.015	0.134	11	16
DS92004	20	4	0.008	0.015	0.156	20	29

Note: The data shown is approximate and subject to standard industry and manufacturer tolerances.

**Selling Exclusively Through Distribution Since 1977™ | phone: 800-292-OMNI | website: [omnicable.com](http://omnicable.com)**  
**Atlanta • Boston • Charlotte • Chicago • Cincinnati • Denver • Houston • Los Angeles • Philadelphia • San Francisco • Seattle •**  
**St. Louis • Tampa • Toronto**  
**© 2020 Omni Cable LLC**