# UNIFOX-PE VDE - Needle-nose pliers

1212529

https://www.phoenixcontact.com/us/products/1212529

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



**Needle-nose pliers,** angled design, with opening spring and locking device, finely notched grip area, stripping possible for 1.5 $mm^2$ and 2.5 $mm^2$, integrated M8 - M10 ring wrench, VDE 1000 V AC/1500 V DC tested

## Your advantages

- Individually tested safety tools according to DIN EN 60900 (VDE 0682-201)
- Notched gripping surface and sharp cutting edge
- Ergonomically shaped two-component handles for fatigue-free and non-slip use
- VDE tested

## Commercial data

| | |
|---|---|
| Item number | 1212529 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BH31 |
| Product key | BH3162 |
| GTIN | 4046356589574 |
| Weight per piece (including packing) | 291.9 g |
| Weight per piece (excluding packing) | 291 g |
| Customs tariff number | 82032000 |
| Country of origin | DE |

## Technical data

### Notes

Environmental Product Compliance

| | |
|---|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |

### Product properties

| | |
|---|---|
| Product type | Universal tools |
| Application | Aluminum |
| | Copper |
| Product property | Cutting edge is inductively hardened |
| | Finely notched gripping surface |
| | Angled, ergonomic shape |
| | Ergonomic two-component handle |
| | Spring reset with locking mechanism |
| | Special tool steel, die-forged and oil-hardened\ |
| | VDE tested |

### Dimensions

| | |
|---|---|
| Length | 200 mm |

### Material specifications

| | |
|---|---|
| Color | black |

### Cable/line

| | |
|---|---|
| External cable diameter | ≤ 13.00 mm |

### Standards and regulations

| | |
|---|---|
| Tests | DIN EN 60900 (VDE 0682 PART 201) |
| | DIN ISO 5745 |

## Classifications

### ECLASS

| | |
|---|---|
| ECLASS-13.0 | 21043816 |
| ECLASS-15.0 | 21043816 |

### ETIM

| | |
|---|---|
| ETIM 10.0 | EC000835 |

### UNSPSC

| | |
|---|---|
| UNSPSC 21.0 | 27112100 |

## Environmental product compliance

EU RoHS

| | |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |

EU REACH SVHC

| | |
|---|---|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |

EF3.1 Climate Change

| | |
|---|---|
| CO2e kg | 4.628 kg CO2e |

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com