



Member of the FM Global Group

FM Approvals
1151 Boston Providence Turnpike
P.O. Box 9102 Norwood, MA 02062 USA
T: 781 762 4300 F: 781-762-9375 www.fmapprovals.com

CERTIFICATE OF COMPLIANCE

HAZARDOUS LOCATION ELECTRICAL EQUIPMENT PER CANADIAN REQUIREMENTS

This certificate is issued for the following equipment:

IDEC SmartRelay Display Modules

NI / I / 2 / ABCD / T*; 0 °C < Ta < +55 °C; Type 4X/12; IP65

Model No.	T-Code*	Tambient
FL1F-RD1	T4	55 °C

Special Conditions of Use:

1. *Shall be installed in compliance with the enclosure, mounting, spacing and segregation requirements of the ultimate application, including a tool removable cover.*
2. *In order for the Type 4X, Type 12, and IP65 rating to apply, the module must be installed in accordance with the manufacturer's installation manual.*

IDEC SmartRelay

NI / I / 2 / ABCD / T*; 0 °C < Ta < +55 °C

Model No.	T-Code*	Tambient
FL1F-H12SCD	T4	55 °C
FL1F-B12RCA	T4	55 °C
FL1F-B12RCC	T4	55 °C
FL1F-B12RCE	T4	55 °C
FL1F-H12RCA	T4	55 °C
FL1F-H12RCC	T4	55 °C
FL1F-H12RCE	T4	55 °C
FL1F-J2B2	T4	55 °C
FL1F-J2BR2	T4	55 °C
FL1F-K2BM2	T4	55 °C
FL1F-M08B1S2	T4	55 °C
FL1F-M08B2R2	T4	55 °C
FL1F-M08C2R2	T4	55 °C



Member of the FM Global Group

Model No.	T-Code*	Tambient
FL1F-M08D2R2	T4	55 °C

Special Conditions of Use:

1. *Shall be installed in compliance with the enclosure, mounting, spacing and segregation requirements of the ultimate application, including a tool removable cover.*

Equipment Ratings:

Nonincendive for use in Class I, Division 2, Groups A, B, C & D, and Class I, Zone 2, Group IIC, Hazardous (Classified) Locations with Type 4X/12 and IP65.

Nonincendive for use in Class I, Division 2, Groups A, B, C & D, and Class I, Zone 2, Group IIC, Hazardous (Classified) indoor Locations

FM Approved for:

IDEC Corporation
Yodogawa-Ku, Japan



Member of the FM Global Group

This certifies that the equipment described has been found to comply with the following Approval Standards and other documents:

CSA C22.2 No. 94	R2011
CSA C22.2 No. 213	R2013
CSA C22.2 No. 1010-1	2004
CSA C22.2 No. 60529	R2010

Original Project ID: 3056953C

Approval Granted: October 8, 2015

Subsequent Revision Reports / Date Approval Amended

Report Number	Date	Report Number	Date
---------------	------	---------------	------

FM Approvals LLC

J.E. Marquedant
Manager of Electrical Systems

8 October 2015

Date