Certificate of Compliance

Certificate Number20080506-E227487CReport ReferenceE227487, 2003 December 29Issue Date2008 May 6



Issued to:

DATASENSOR SPA

Via Lavino 265 40050 Monte San Pietro Bo, Italy

This is to certify that representative samples of

Proximity Switches See Addendum for Model Designation

Have been investigated by Underwriters Laboratories Inc.® in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:UL 508 - Industrial Control Equipment - Seventeenth Edition
UL 746C - Polymeric Materials - Use in Electrical Equipment Evaluations
UL 50 - Enclosures for Electrical Equipment
CAN/CSA C22.2 No. 14-95 - Industrial Control Equipment

Additional Information: Electrical Ratings: The devices "S50 and S51 Series" are rated 10--30 V dc, 150 mA maximum. The devices "S15 Series" are rated 12--30 V dc, 150 mA maximum. They are intended to be connected to a Class 2 transformer or power supply or a Low Voltage Limited Energy source of supply with Class 2 characteristics.

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol

with "C" and "US" identifiers: ⁽¹⁾ the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product

Issued By: Giuseppe Redaelli, Senior Project Engineer Underwriters Laboratories Inc. Reviewed By: Matteo Redaelli, Engineer Group Leader Underwriters Laboratories Inc.

Certificate of Compliance

 Certificate Number
 20080506-E227487C

 Report Reference
 E227487, 2003 December 29

 Issue Date
 2008 May 6



This is to verify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model Designation:

Industrial Control Equipment - Proximity Switches, Photoelectric Sensing Devices:

- "S50 Series":

Model No. S50 followed by P, M, followed by A, L, R, C, D, S, H, N, W, E, followed by 2, 5, 6, 7, followed by A, B, C, D, E, F, G, H, K, L, M, N, P, S, T, U, V, W, Y, Z, followed by 0, 1, 2, 3, 4, 5, 6, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, followed by A, B, C, D, E, F, G, H, I, K, L, M, N, O, P, Q, R, S, T, V, X, Y, Z, followed by A, B, C, D, E, F, G, H, I, K, L, M, N, O, P, Q, R, S, T, V, X, Y, Z, followed by A, B, C, D, E, F, G, H, I, K, L, M, N, O, P, Q, R, S, T, V, X, Y, Z.

- "S51 Series":

Model No. S51 followed by P, M, followed by A, L, R, C, D, S, H, N, W, E, followed by 2, 5, 6, 7, followed by A, B, C, D, E, F, G, H, K, L, M, N, P, S, T, U, V, W, Y, Z, followed by 0, 1, 2, 3, 4, 5, 6, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, followed by A, B, C, D, E, F, G, H, I, K, L, M, N, O, P, Q, R, S, T, V, X, Y, Z, followed by A, B, C, D, E, F, G, H, I, K, L, M, N, O, P, Q, R, S, T, V, X, Y, Z, followed by A, B, C, D, E, F, G, H, I, K, L, M, N, O, P, Q, R, S, T, V, X, Y, Z.

- "S15 Series"

Model No. S15 followed by P, M, followed by A, L, R, C, D, S, H, N, W, E, followed by 2, 5, 6, 7, followed by A, B, C, D, E, F, G, H, K, L, M, N, P, S, T, U, V, W, Y, Z, followed by 0, 1, 2, 3, 4, 5, 6, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, followed by A, B, C, D, E, F, G, H, I, K, L, M, N, O, P, Q, R, S, T, V, X, Y, Z, followed by A, B, C, D, E, F, G, H, I, K, L, M, N, O, P, Q, R, S, T, V, X, Y, Z, followed by A, B, C, D, E, F, G, H, I, K, L, M, N, O, P, Q, R, S, T, V, X, Y, Z.

Issued By: Giuseppe Redaelli, Senior Project Engineer Underwriters Laboratories Inc. Reviewed By: Matteo Redaelli, Engineer Group Leader Underwriters Laboratories Inc.