



NRKH.E222927 Proximity Switches

Page Bottom

Proximity Switches

See General Information for Proximity Switches

IDEC CORP

7-31 NISHIMIYAHARA 1-CHOME
YODOGAWA-KU, OSAKA 532-8550 JAPAN

E222927

Proximity switch, as interface module, Model SX5A, followed by -AW, -SS or -SW, followed by a combination of letters and/or numbers.

Proximity switches, Cat. No. SA1E, followed by T, TA, P, D, N, B or G, followed by N or P, followed by 1 or 2, may be followed by C, C2, P or R, followed by blank or NA, followed by any number 0 through 10 or blank, may be followed by any combination of seven additional letters or numbers.

Cat. No. SA1U, followed by followed by -T50M, -P07M, -D01M, or -B02M, may be followed by T, may be followed by -MKXXXX.

Last Updated on 2008-06-05

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2008 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

