

Replacement electronics module - IB STME 24 DI32/2 - 2754985

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Replacement module electronics for IB ST (ZF) 24 DI 32/2

Product Features

- 32 digital inputs
- Connection of sensors in 2-wire technology
- Diagnostic and status indicators

Key Commercial Data

Packing unit	1 pc
GTIN	4 017918 063436
Weight per Piece (excluding packing)	148.1 g
Country of origin	Germany

Technical data

Note

Utilization restriction	EMC: class A product, see manufacturer's declaration in the download area
A malainest annualitions	

Ambient conditions

Degree of protection	IP20

General

Mounting type	DIN rail
Net weight	120.37 g

Connection data

Connection method	Screw connection
Stripping length	8 mm

Standards and Regulations



Replacement electronics module - IB STME 24 DI32/2 - 2754985

Technical data

Standards and Regulations

Connection in acc. with standard	CUL

Classifications

eCl@ss

eCl@ss 4.0	27250315
eCl@ss 4.1	27250315
eCl@ss 5.0	27259205
eCl@ss 5.1	27242692
eCl@ss 6.0	27242692
eCl@ss 7.0	27242692
eCl@ss 8.0	27242604
eCl@ss 9.0	27242604

ETIM

ETIM 2.0	EC000313
ETIM 3.0	EC000313
ETIM 4.0	EC002584
ETIM 5.0	EC002584

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	39121311
UNSPSC 13.2	39121311

Approvals

Approvals

Approvals

UL Recognized / cUL Recognized / EAC / cULus Recognized

Ex Approvals

Approvals



Replacement electronics module - IB STME 24 DI32/2 - 2754985

Approval details UL Recognized CUL Recognized CUL Recognized CULus Recognized C

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com