

Adapter - RAD-ADP-RSMA/F-SMA/F - 2884538

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Adapter, RSMA (male) -> SMA (female); insertion loss <0.3 dB at 2.4 GHz

Product Features

- As an adapter between devices and cables
- Adapter for installing the antenna inside buildings

Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	6.2 g
Country of origin	Taiwan

Technical data

Dimensions

Width	15.6 mm
Diameter	10 mm

Ambient conditions

Ambient temperature (operation)	-65 °C ... 165 °C
Ambient temperature (storage/transport)	-65 °C ... 165 °C
Degree of protection	IP20

Classifications

eCl@ss

eCl@ss 4.0	27240409
eCl@ss 4.1	27240409
eCl@ss 5.0	27242215
eCl@ss 5.1	19030503
eCl@ss 6.0	27242208

Adapter - RAD-ADP-RSMA/F-SMA/F - 2884538

Classifications

eCl@ss

eCl@ss 7.0	27242208
eCl@ss 8.0	19070417

ETIM

ETIM 2.0	EC001423
ETIM 3.0	EC001423
ETIM 4.0	EC001423
ETIM 5.0	EC001135

UNSPSC

UNSPSC 6.01	20142601
UNSPSC 7.0901	20142601
UNSPSC 11	20142601
UNSPSC 12.01	20142601
UNSPSC 13.2	20142601

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC
